



**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL<sup>®</sup> GmbH | Chemical-Technological Laboratory  
Krackser Straße 12 | 33659 Bielefeld | Germany

Killer Ink Limited  
Mr Safar  
Units 2-4 Parliament Business Centre  
Commerce Way, Liverpool, L8 7BA  
UNITED KINGDOM

Marion Heyde

[fon] +49 521 400 82 89 13

[fax] +49 521 446 51 52

[mail] [logistika@ctl-bielefeld.de](mailto:logistika@ctl-bielefeld.de)

[Date of order] 30.09.2014

[Date of delivery] 01.10.2014

[Date] 22.10.2014

CTL <sup>®</sup> -No	<b>365442</b>
----------------------	---------------

## Test results

[Contact person] Mr Safar

[Material] 2 samples of tattoo colours SILVERBACK INK

[Colours] Insta 10 grey wash, Insta Black

[Batch-No] ---

[Order] testing according to COE Resolution ResAP(2008)1

on requirements and criteria for the safety of tattoos and permanent make-up



Deutsche  
Akkreditierungsstelle  
D-PL-11062-01-00

not accredited tests are labelled with \*

▶ 1/7

[DE] Die Prüfergebnisse beziehen sich ausschließlich auf die Prüfgegenstände. Ohne schriftliche Genehmigung darf der Prüfbericht nicht auszugsweise vervielfältigt werden.

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

[F] Le resultat des examens se réfère uniquement aux objets testés. Sans autorisation écrite, le résultat des examens ne doit pas être partiellement reproduit.

[NL] De testresultaten hebben uitsluitend betrekking op de testobjecten. Zonder schriftelijke toestemming mag het testrapport niet in uittreksel worden vermenigvuldigd.

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
[Managing Director] Dr. rer. nat. Gerald Prior  
[Based in] Bielefeld  
[Register of Companies] AG Bielefeld, HRB 35-412  
[VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
[fax] +49 521 446 51 52  
[mail] [info@ctl-bielefeld.de](mailto:info@ctl-bielefeld.de)  
[Homepages] [ctl-bielefeld.de](http://ctl-bielefeld.de)  
[ctl-tattoo.net](http://ctl-tattoo.net)

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
[SWIFT/BIC] WELADED 1 GTL  
[IBAN] DE 87 47850065 000 4005345



**we assist, advice and test**

CTL <sup>®</sup> -No	365442/1
----------------------	----------

[Material] sample of a tattoo colour  
 [Material description/Colour] Insta 10 grey  
 [Batch-No] ----

				passed
<b>Azo-dyestuffs, Part 1a</b> Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm; limit: as low as technically avoidable				not detectable
Biphenyl-4-ylamine	-	4-Methoxy-m-phenylenediamine	-	yes
Benzidine	-	4,4'-Methylenedianiline	-	
4-Chloro-o-toluidine	-	3,3'-Dichlorobenzidine	-	
2-Naphthylamine	-	3,3'-Dimethoxybenzidine	-	
o-Aminoazotoluene	-	3,3'-Dimethylbenzidine	-	
5-Nitro-o-toluidine	-	4,4'-Methylenedi-o-toluidine	-	
4-Chloroaniline	-	6-Methoxy-m-toluidine	-	
<b>Azo-dyestuffs, Part 1b</b> Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm				
4,4'-Oxydianiline	-	2,4,5-Trimethylaniline	-	yes
4,4'-Thiodianiline	-	Para-phenylenediamine	-	
o-Toluidine	-	2,4-Xylidine	-	
<b>Dyestuffs, Part 2</b> acc. to COE Resolution ResAP(2008)1 Methods: TLC-, HPLC-, GC/MS-analysis acc. to DIN 54231 Detection limit: 5 mg/L				not detectable
Acid Green 16	-	Disperse Blue 1	-	yes
Acid Red 26	-	Disperse Blue 106	-	
Acid Violet 17	-	Disperse Blue 124	-	
Acid Violet 49	-	Disperse Blue 3	-	
Acid Yellow 36	-	Disperse Blue 35	-	
Basic Blue 7	-	Disperse Orange 3	-	
Basic Green 1	-	Disperse Orange 37	-	
Basic Red 1	-	Disperse Red 1	-	
Basic Red 9	-	Disperse Red 17	-	
Basic Violet 1	-	Disperse Yellow 3	-	
Basic Violet 10	-	Disperse Yellow 9	-	
Basic Violet 3	-	Pigment Orange 5	-	
		Pigment Red 53	-	
		Pigment Violet 3	-	
		Pigment Violet 39	-	
		Solvent Blue 35	-	
		Solvent Orange 7	-	
		Solvent Red 24	-	
		Solvent Red 49	-	
		Solvent Violet 9	-	
		Solvent Yellow 1	-	
		Solvent Yellow 2	-	
		Solvent Yellow 3	-	

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] info@ctl-bielefeld.de  
 [Homepages] ctl-bielefeld.de  
ctl-tattoo.net

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



**we assist, advice and test**

<b>CTL<sup>®</sup>-No</b>	<b>365442/1</b>
---------------------------	-----------------

[Material] sample of a tattoo colour  
 [Material description/Colour] Insta 10 grey  
 [Batch-No] ----

			<b>passed</b>			
<b>Heavy metals, Part 3</b> acc. to COE Resolution ResAP(2008)1 Method: Prior, G. (2014). Tattoo Inks: Analysis, Pigments, Legislation. Berlin: epubli. CTL Method 2, p. 83.			<b>yes</b>			
	<b>Limit</b>	<b>Amount</b>				
Arsenic (As)	≤ 2 ppm	< 2 ppm				
Barium (Ba)	≤ 50 ppm	< 50 ppm				
Cadmium (Cd)	≤ 0.2 ppm	< 0.2 ppm				
Cobalt (Co)	≤ 25 ppm	< 25 ppm				
Chromium (Cr), VI	≤ 0.2 ppm	< 0.2 ppm				
Copper (Cu), soluble	≤ 25 ppm	< 25 ppm				
Mercury (Hg)	≤ 0.2 ppm	< 0.2 ppm				
Nickel (Ni)	As low as technically achievable	< 0.5 ppm				
Lead (Pb)	≤ 2 ppm	< 2 ppm				
Selenium (Se)	≤ 2 ppm	< 2 ppm				
Antimony (Sb)	≤ 2 ppm	< 2 ppm				
Tin (Sn)	≤ 50 ppm	< 50 ppm				
Zinc (Zn)	≤ 50 ppm	< 50 ppm				
<b>PAH and BaP, Part 4*</b> Investigation of 16 compounds of Polycyclic hydrocarbons incl. Benzo-a-pyrene acc. to COE Resolution ResAP(2008)1 Methods acc. to EPA, ZEK 2008-01 Detection limit: PAH 0.05 ppm as total, BaP 0.5 ppb Limit: PAH ≤ 0.5 ppm as total, BaP ≤ 5 ppb			<b>yes</b>			
Naphthalene	-	Fluoranthene		-	Dibenzo(a,h)anthracene	-
Acenaphthylene	-	Pyrene		-	Indo (1,2,3-cd)pyrene	-
Acenaphthene	-	Benz(a)anthracene		-	Benzo(g,h,i)perylene	-
Fluorene	-	Chrysene		-	Benzo-a-pyrene (BaP)	-
Phenanthrene	-	Benzo(b)fluoranthene		-		
Anthracene	-	Benzo(k)fluoranthene		-	<b>Total</b>	0 ppm
<b>Sterility (microbiological test), Part 5*</b> Investigation of pseudomonads (King A + B) acc. to COE Resolution ResAP(2008)1 Methods: Oxidase test Detection limit: 1.0 x 10 <sup>1</sup> CFU/g			<b>&lt; 1.0 x 10<sup>1</sup> CFU/g</b>	<b>yes</b>		
<b>Result: passed</b>						

**we assist, advice and test**

CTL <sup>®</sup> -No	365442/1
----------------------	----------

[Material]	sample of a tattoo colour
------------	---------------------------

[Material description/Colour]	Insta 10 grey
-------------------------------	---------------

[Batch-No]	----
------------	------

Test	Test procedure/Test method	Result	passed
<b>Anaerobes sulfite-reducing sporulating bacteria*</b>	acc. to ASU §64 LFGB L59.00-4	< 1.0 x 10 <sup>1</sup> CFU/g	yes
<b>Aerobes mesophilic sporulating bacteria*</b>	acc. to ASU §64 LFGB L06.00-18	< 1.0 x 10 <sup>1</sup> CFU/g	yes
<b>Result: passed</b>			



**we assist, advice and test**

CTL <sup>®</sup> -No	365442/2
----------------------	----------

[Material] sample of a tattoo colour  
 [Material description/Colour] Insta Black  
 [Batch-No] ----

				passed
<b>Azo-dyestuffs, Part 1a</b> Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm; limit: as low as technically avoidable				not detectable
Biphenyl-4-ylamine	-	4-Methoxy-m-phenylenediamine	-	yes
Benzidine	-	4,4'-Methylenedianiline	-	
4-Chloro-o-toluidine	-	3,3'-Dichlorobenzidine	-	
2-Naphthylamine	-	3,3'-Dimethoxybenzidine	-	
o-Aminoazotoluene	-	3,3'-Dimethylbenzidine	-	
5-Nitro-o-toluidine	-	4,4'-Methylenedi-o-toluidine	-	
4-Chloroaniline	-	6-Methoxy-m-toluidine	-	
<b>Azo-dyestuffs, Part 1b</b> Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to COE Resolution ResAP(2008)1 Methods acc. to § 64 LFGB 82.02-2,3,4,9 Detection limit: 1 ppm				
4,4'-Oxydianiline	-	2,4,5-Trimethylaniline	-	yes
4,4'-Thiodianiline	-	Para-phenylenediamine	-	
o-Toluidine	-	2,4-Xylidine	-	
<b>Dyestuffs, Part 2</b> acc. to COE Resolution ResAP(2008)1 Methods: TLC-, HPLC-, GC/MS-analysis acc. to DIN 54231 Detection limit: 5 mg/L				not detectable
Acid Green 16	-	Disperse Blue 1	-	yes
Acid Red 26	-	Disperse Blue 106	-	
Acid Violet 17	-	Disperse Blue 124	-	
Acid Violet 49	-	Disperse Blue 3	-	
Acid Yellow 36	-	Disperse Blue 35	-	
Basic Blue 7	-	Disperse Orange 3	-	
Basic Green 1	-	Disperse Orange 37	-	
Basic Red 1	-	Disperse Red 1	-	
Basic Red 9	-	Disperse Red 17	-	
Basic Violet 1	-	Disperse Yellow 3	-	
Basic Violet 10	-	Disperse Yellow 9	-	
Basic Violet 3	-	Pigment Orange 5	-	
		Pigment Red 53	-	
		Pigment Violet 3	-	
		Pigment Violet 39	-	
		Solvent Blue 35	-	
		Solvent Orange 7	-	
		Solvent Red 24	-	
		Solvent Red 49	-	
		Solvent Violet 9	-	
		Solvent Yellow 1	-	
		Solvent Yellow 2	-	
		Solvent Yellow 3	-	

[Address] Krackser Straße 12  
33659 Bielefeld, GERMANY  
 [Managing Director] Dr. rer. nat. Gerald Prior  
 [Based in] Bielefeld  
 [Register of Companies] AG Bielefeld, HRB 35-412  
 [VAT ID No] DE 176 26 5000

[fon] +49 521 400 82 89 0  
 [fax] +49 521 446 51 52  
 [mail] info@ctl-bielefeld.de  
 [Homepages] ctl-bielefeld.de  
ctl-tattoo.net

[Bank] Sparkasse Gütersloh  
Konrad-Adenauer-Platz 1  
33330 Gütersloh, GERMANY  
 [SWIFT/BIC] WELADED 1 GTL  
 [IBAN] DE 87 47850065 000 4005345



**we assist, advice and test**

<b>CTL<sup>®</sup>-No</b>	<b>365442/2</b>
---------------------------	-----------------

[Material] sample of a tattoo colour  
 [Material description/Colour] Insta Black  
 [Batch-No] ----

			<b>passed</b>			
<b>Heavy metals, Part 3</b> acc. to COE Resolution ResAP(2008)1 Method: Prior, G. (2014). Tattoo Inks: Analysis, Pigments, Legislation. Berlin: epubli. CTL Method 2, p. 83.			<b>yes</b>			
	<b>Limit</b>	<b>Amount</b>				
Arsenic (As)	≤ 2 ppm	< 2 ppm				
Barium (Ba)	≤ 50 ppm	< 50 ppm				
Cadmium (Cd)	≤ 0.2 ppm	< 0.2 ppm				
Cobalt (Co)	≤ 25 ppm	< 25 ppm				
Chromium (Cr), VI	≤ 0.2 ppm	< 0.2 ppm				
Copper (Cu), soluble	≤ 25 ppm	< 25 ppm				
Mercury (Hg)	≤ 0.2 ppm	< 0.2 ppm				
Nickel (Ni)	As low as technically achievable	< 0.5 ppm				
Lead (Pb)	≤ 2 ppm	< 2 ppm				
Selenium (Se)	≤ 2 ppm	< 2 ppm				
Antimony (Sb)	≤ 2 ppm	< 2 ppm				
Tin (Sn)	≤ 50 ppm	< 50 ppm				
Zinc (Zn)	≤ 50 ppm	< 50 ppm				
<b>PAH and BaP, Part 4*</b> Investigation of 16 compounds of Polycyclic hydrocarbons incl. Benzo-a-pyrene acc. to COE Resolution ResAP(2008)1 Methods acc. to EPA, ZEK 2008-01 Detection limit: PAH 0.05 ppm as total, BaP 0.5 ppb Limit: PAH ≤ 0.5 ppm as total, BaP ≤ 5 ppb			<b>yes</b>			
Naphthalene	-	Fluoranthene		-	Dibenzo(a,h)anthracene	-
Acenaphthylene	-	Pyrene		-	Indo (1,2,3-cd)pyrene	-
Acenaphthene	-	Benz(a)anthracene		-	Benzo(g,h,i)perylene	-
Fluorene	-	Chrysene		-	Benzo-a-pyrene (BaP)	-
Phenanthrene	-	Benzo(b)fluoranthene		-		
Anthracene	-	Benzo(k)fluoranthene		-	<b>Total</b>	0 ppm
<b>Sterility (microbiological test), Part 5*</b> Investigation of pseudomonads (King A + B) acc. to COE Resolution ResAP(2008)1 Methods: Oxidase test Detection limit: 1.0 x 10 <sup>1</sup> CFU/g			<i>tested on a single representative sample (CTL-No 365442/1)</i>		<b>yes</b>	
<b>Result: passed</b>						



**CTL<sup>®</sup> GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

**we assist, advice and test**

<b>CTL<sup>®</sup>-No</b>	<b>365442/1+2</b>
---------------------------	-------------------

[Material] samples of tattoo colours

[Material description/Colour] ----

[Batch-No] ----

Yours sincerely

CTL<sup>®</sup> GmbH Bielefeld

i.A. Marion Heyde  
Sachbearbeiterin/customer consultant

i.V. Helmut Meyer  
Laborleitung/Lab Manager